

Department of Medical Assistance Services



Passift Trainer Trainer

Refresher

CCC Plus Waiver December 20, 2017

http://dmasva.dmas.virginia.gov

Roll out is Complete for CCC Plus waiver



The health plans will be completing all Annual LOC's for the CCC Plus Waiver.

Refresher topics

- Announcements
- Dive deep ADL's
- Your Questions



Train the Trainers Role Refresher?



Train the Trainer Supports

- Ongoing Conference calls
- On line CBT training

- Secondary review Consultation
- LOCreview@dmas.Virgi nia.gov e-mail.

LOC Nuts and Bolts Update

For Who: The Annual LOC Trainers (4) from each CCC Plus Health Plan

Where: DMAS 7th floor Conference room When: January 16th from 9am to 3:30pm

On line registration is required

https://dmastraining.adobeconnect.com/locforplans01162018/event/registration.html

Train the Trainer Supports continued

- Web Registration FAQ
- https://www.virginiamedicaid.dmas.virginia.gov/wps/portal/FAQ add Link
- Web Registration Quick Reference
- https://www.virginiamedicaid.dmas.virginia.gov/ECMPdfWeb/ECMServlet/Documentationreference/WebregistrationR/uac_quickstart
- Web Registration User Guide
- https://www.virginiamedicaid.dmas.virginia.gov/ECMPdfWeb/ECMServlet/Documentationguides/WebregistrationG/uac_general
- Web Registration Tutorial
- https://www.virginiamedicaid.dmas.virginia.gov/onlinehelp/cbt/RegCBT.htm
- Provider Account Holder Change Form
- https://www.virginiamedicaid.dmas.virginia.gov/ECMPdfWeb/ECMServlet?mem ospdf=PAH.pdf
- This power point on Virginia Learning Center at https://covlc.virginia.gov


For assistance call Xerox Web Registration Support by calling toll free 1-866-352-0496, from 8:00 A.M. to 5:00 P.M. Monday through Friday, except holidays

Refresher topics

- Announcements
- Dive deep ADL's
- Your Questions



Most frequent mistakes



Level of Care Criteria

There are <u>three</u> categories for criteria:



functional capacity,



medical/nursing needs



risk of nursing facility placement

All three criteria must be met to meet criteria

Note: See PAS Provider Manual, Appendix B, for specific instructions regarding determining LOC.

Functional Capacity

There are three different ways to meet the criteria for ADL dependencies



functional capacity,
the ability of the
individual to perform activities of
daily living (ADLs);

- 1 Dependent in 2-4 ADLs, plus semidependent or dependent in behavior and orientation, plus semi-dependent in joint motion or dependent in medication administration, OR
- Dependent in 5-7 ADLs plus dependent in mobility, OR
- 3 Semi-Dependent in 2-7 ADLs, plus dependent in mobility, plus dependent in behavior and orientation.

An individual must meet **one** of the ADL descriptions


Key Points to Remember When Assessing Functional Status

- Functional status is a measure of the individual's impairment level and need for personal assistance.
- Interpret the ADLs in terms of what is usually needed to <u>safely</u> perform the entire activity. (start to finish)
- Functional status is based on what the individual is <u>able to do</u>
 not what they prefer to do

<u>Assessing Functional Status</u>

- Self-reporting on ADLs and other functional activities <u>should be verified by observation</u> or <u>reports of others</u>.
- This is especially critical when individual's report that they do activities by themselves, but the performance level or safety of the individual is in question. Or
 - You have observed some physical limitations that are incongruent with individuals statements. Or
 - A diagnosis indicates there may be ADL limitation(s)







Activities of Daily Living

Select appropriate level

 Bathing, Dressing, Toileting, Transferring & Eating/Feeding

Needs no help

Mechanical help

Human help-supervise

Human help-physical assist

MH & HH-Supervise

MH & HH-Physical Assist

Always performed by others

Spoon fed

Syringe/Tube Fed

Fed by IV

Independent

Semi-dependent

Activities of Daily Living

select appropriate level

- Continence (Bowel)
 - Continent

Independent

- External Device/Indwelling/Ostomy (self care)
- Incontinent (less than weekly)
- Incontinent (weekly or more)
- Ostomy (not self care)

Semi Dependent

Activities of Daily Living

Select appropriate level

- Continence-Bladder
 - Continent

Independent


- External Device (not self care)
- External device/indwelling/ostomy (self care)
- Incontinent (less than weekly)
- Incontinent (weekly or more)
- Indwelling catheter (not self care)
- Ostomy (not self care)

Semidependent

Functional Status

Physical Health Assessment includes

- Joint Motion
- Medication Administration
- Orientation
- Behavior





Activities of Daily living Select appropriate level

Joint Motion:

- Within normal limits or instability corrected
- Limited motion
- Instability uncorrected or immobile

Independent

Semi-dependent

Activities of Daily Living Select appropriate level

- Medication Administration
 - Without assistance
 - Administered by lay person
 - Administered/monitored by professional nursing staff

Independent

Screen shot of Portal

Behavior and Orientation

Please refer to the preadmission screening for scoring this section

- Behavior and Orientation are considered one item for the purposes of criteria determination.
- Semi-dependency and dependency are based on the combination of <u>both</u> behavior and orientation.
- Remember: In order to meet this criteria, the individual must be semi dependent or dependent in **both** areas.

<u>Mobility</u>

- Ambulation
 - Mobility

Remember Mobility <u>can</u> be a key component in determining if an individual meets criteria for the annual LOC

Mobility is an important factor *

Mobility

- Do they use any mechanical help?
 - Cane, walker, wheelchair
- Do they need supervision?
 - i.e. stand by assist, reminding, coaching/cueing
- Do they need physical assist?
 - Hands on assistance to prevent falls
 - (If they are in a wheelchair, they need more than MH)

Mobility

The definition of mobility is: <u>the extent of the</u> <u>individual's movement outside his/her usual living</u> <u>quarters</u>. (Once they have closed the door to their home and begin their journey)

Mobility can be significant in determining if some
 ADL criteria listed as independent

Mechanical Help (M.H.)
(M.H.)



Human Help Physical Assist



Mechanical Help Human Help physical Assist



Mobility

Select appropriate level

Needs No Help

Independent

Mechanical Help (MH) Only

semi-dependent

- Human Help Supervise
- Human Help Physical Assistance
- MH & Human Help Supervise
- MH & Human Help Physical Assistance
- Confined Moves About
- Confined Does Not Move About

Current health status

 Slide from LRT – that states current health status (painting a picture), MNN, diagnoses and medications-

Assessment Hints



- Many of our senior citizens are proud and want to appear independent
- Remember to "paint a picture" of the individual so we know what the individual looks like clinically
- Include clinical information recent falls, hospitalizations, change in status
- Include all of the pertinent diagnosis i.e. COPD, diabetes, cancer, autism, ADHD, etc.
- List the most pertinent medications first

Helpful Hint

The following "paints a picture" - assists in seeing the individual clinically

 Please review the assessments prior to submission to be sure they are correct



- Please be sure to check the medical/nursing needs section (YES) this will auto-populate the list to select the medical and/or nursing needs
- If you do not select yes- you are essentially disenrolling the individual from the waiver

Refresher topics

- Announcements
- Dive deep ADL's
- Your Questions



Your questions

- Is Social Security Number required?
 - Yes
 - 999-99-999 or 000-00-000 is not allowed The social security # comes across on the 84 down load

jwhfbldg